



U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20531

Brandon Bertsch
General Manager
Oregon Ballistic Laboratories, LLC
2873 22nd Street, SE
Salem, OR

Notice of NIJ-approved Laboratory Status

Laboratory: Oregon Ballistic Laboratories, LLC

Scope: NIJ 0101.06, Ballistic Resistance of Body Armor, Section 7, Ballistic Test
Methods

NIJ 0101.06, Ballistic Resistance of Body Armor, Section 6, Hard Armor
Conditioning Protocol

NIJ 0101.06, Ballistic Resistance of Body Armor, Section 5, Flexible Armor
Conditioning Protocol

NIJ 0115.00, Stab Resistance of Personnel Body Armor

Expiration: **April 30, 2024**

Dear Mr. Bertsch:

The National Institute of Justice (NIJ) has completed its review of your application for continued participation in the NIJ Compliance Testing Program (CTP). We hereby inform you that your laboratory will continue to be recognized on NIJ's list of approved laboratories, which is made available at www.justnet.org. As an NIJ-approved laboratory, you are authorized to conduct compliance testing of ballistic-resistant body armor and stab-resistant body armor in accordance with the standards listed above. All terms and conditions noted in your signed Compliance Testing Program Laboratory Application and Agreement are in effect and will remain so unless otherwise modified in writing by NIJ.

Any questions regarding your laboratory status as it pertains to the NIJ CTP should be directed to the Criminal Justice Testing and Evaluation Consortium by telephone at 984-439-5241 or by email at bactp@justnet.org, or to me by telephone at 202-307-3384 or by email at mark.greene2@usdoj.gov.

Sincerely,

Mark Greene, Ph.D.
Technology and Standards Division Director
Office of Research, Evaluation and Technology
National Institute of Justice